Ref	Item		PI	ROPOSED TO	P
Kei	item	Qty	Unit	Rate	Total
	1-24 Penton Place				
	GENERALLY				
Α	1 to 48 Peacock Street, constructed circa 1918, comprises 24 dwellings set over 4 storeys. The construction of the block is brickwork external walls, concrete floors and roof slabs, an asphalted flat roof and timber single glazed windows.				
В	The works in this section comprise the following:-				
	Scaffolding and Hoists Works to roof structures and coverings Works to the structure and fabric of the building Timber care repairs and renewal FRA works including works to FED's Communal electrics Redecorations Testing and repairs to above ground drainage				
	GENERALLY				
		Са	rried to S	Summary £	0.00
	SCAFFOLDING AND HOIST				
	TEMPORARY WORKS:				
Α	Allow for the temporary unclipping of all wires, reclip on completion both externally and internally. Only where accessible (Prov Allowance)		Item		500.00
В	Carefully take down satellite dish; extend cable and resite on scaffold; protect; remove and refix on striking scaffold; ensure accurate tuning and refixing. Only where accessible and interferes with hoist. (Prov Qty)	5	No	67.21	336.05
	FULL SCAFFOLD				
С	Tubular materials all erected to form a tied independent access scaffold, erected in approximately 2.7m lifts, with fully boarded lifts, and clad once only with debris netting. Including double boarding and poly to base lift and protection fans to doorways only.		Item		35,373.00
D	Tubular materials erected to form a temporary double guardrail.		Item		851.00
Е	Pavement license		Item		1,621.00
F	200kg Hoist		Item		3,534.00
	SCAFFOLD SECURITY				
G	Supply, install and dismantle hardwired alarm to scaffolding using 4no infra red beams, control panel, keypad and bell		Item		695.00
Н	Alarm monitoring		Item		190.00

	<b>Note:</b> Call out charges and emergency response included in risk				
	Note: Scaffold does not include mesh fencing to first lift Risk				
	SCAFFOLDING AND HOIST	Са	rried to \$	Summary £	43,100.05
	ROOF STRUCTURE AND COVERINGS			-	
Α	MAIN ROOF COVERING (Provisional Quantities) Cut out defective asphalt roof patch and renew with polymer modified asphalt to existing levels	18	Nr	74.56	1,342.08
В	Supply and fit Spartan tiles (where damaged) to asphalt covering inclusive all cutting, adhesive, patterns, etc.	3	m2	52.57	157.71
С	Application of solar reflective paint and primer (upto 350mm wide) to perimeter asphalt	18	m	9.00	162.00
	ROOF BEYOND PARAPET WALL (Provisional Quantities) REPAIRS				
D	Cut out defective asphalt roof patch and renew with polymer modified asphalt to existing levels	12	Nr	74.56	894.72
E	Application of solar reflective paint and primer to exposed asphalt surfaces	12	m2	14.50	174.00
	RENEWAL				
F	Prepare existing roof covering, remove solar reflective paint, clear all outlets and rainwater pipes. Supply and install felt overlay roofing system, Gold-shield Quantum system 30 roof, cleaning existing surface, sacrificial layers, thermo adhesive system, edge trims termination bars, etc. and flat insulation boards to achieve minimum U-value of 0.25W/m2. Provide 30-year insurance backed guarantee upon completion				
G	Ditto above but with cut to falls insulation achieving minimum U-value 0.25 W/m2	0	Nr	3,910.14	0.00
Н	SECOND FLOOR ROOF TERRACE OMITTED FROM CONTRACT				
I	STAIRCASE ROOFS (Provisional Quantities) Cut out defective asphalt roof patch and renew with polymer modified asphalt to existing levels	6	Nr	74.56	447.36
J	Application of solar reflective paint and primer to exposed asphalt surfaces	6	m2	9.00	54.00
K	Repairs to felt coverings (Provisional Allowance)		Item		1,500.00
L	MISCELLANEOUS Installation of metal grills to parapet wall outlets	6	Nr	90.00	540.00
	RWG'S / STACKS				

М	Cleaning and Testing of all accessible RWG's / Stacks	1	Item		650.00
	ROOF STRUCTURE AND COVERINGS				
	WORKS TO STRUCTURE AND FABRIC OF THE BUILDING	<u>Ca</u>	erried to S	Summary £	5,921.87
	Brickwork Repairs (Provisional Quantities)				
	brick thick facing bricks, jointed and pointed to match				
Α	Patches over 1.00m2	2	m2	67.21	134.42
В	Patches not exceeding 1.00m2	2	m2	67.21	134.42
С	Single header	20	Nr	5.17	103.40
D	Single stretcher	20	Nr	7.76	155.20
	Rake out joints of brickwork and repoint to match existing:				
Е	Areas over 1.00m2	150	m2	18.10	2,715.00
F	Areas not exceeding 1.00m2	75	m2	18.10	1,357.50
G	Repoint coping joints	30	Nr	10.00	300.00
	Stonework Repairs (Provsional Quantities)				
	Notes: Stone work assumed to be bath stone with window cills assumed to be york stone. Rear cills are unpainted and are assumed to be sand and cement (either coated or cast)		Note		
	Detailed surveys including hammer test are required to stonework cills, window heads, stonework entrances and the like on erection of scaffold		Note		
	Cracked and window cills and heads to be repaired with Thor helical bar, crack filled with Thor flexi grout (WHO60)		Note		
	Sand and cement cills to be refaced, where required in similar mix with SBR		Note		
Н	Provisional allowance for repairs following detailed surveys on erection of scaffolding. Allowance per staircase	3	Nr	1,000.00	3,000.00
	Render Repairs (Provisional Quantities)				
I	Cracks in render - cut out crack and fill with WHO60	18	lm	22.00	396.00
J	Repairs upto 300mm x 300mm x 20mm	18	Nr	16.00	288.00
K	Flaunching to chimney stacks - treat existing render by wire brushing and coating with sharp sand, fine sand, cement and SBR. (Provisional Allowance)		Item		500.00

WORKS TO STRUCTURE AND FABRIC OF THE BUILD		rried to s	Summary £	9,083.94
WINDOWS AND DOORS				0,000.0
To fully repair, overhaul, draft proof & redecorate the existing windows and doors to various street properties within the Pullens Estate.				
Provisional Allowances (Breakdowns on File):-				
Penton Place 1-8		Item		42,617.7
Penton Place 9-16		Item		42,617.7
Penton Place 17-24		Item		41,915.8
Extra over 1-24 Penton Place for renewal of casement windows - Provisional Allowance		Item		13,500.0
WINDOWS AND DOORS	Ca	rried to	Summary £	140,651.3
FRA WORKS INCLUDING FED's				•
FRONT ENTRANCE DOORS Carefully remove security gate/grille from existing door and/or frame and either hand to Resident for their own disposal or obtain written authorisation from Resident and dispose of security gate/grille.	4	Nr	22.40	89.6
Allow for removal from site of all debris arising from the works.	24	Nr	8.50	204.0
Manufacture, supply and install new solid timber (not chipboard or fibreboard) door within retained softwood frame 30x80mm min section size and above, armour clad with 1.6mm thick steel zintec folded frame armour, fixed at 150mm centres with 50mm x 4mm screws and pop riveted at 200mm centres, frame armour colour white. Allow to patch as necessary and refix as necessary existing door frame prior to armour installation. Door to be hardwood lipped on all 4 sides, hung on 1.5 pairs of 100mm steel butts with 2 no. hinge security bolts and incorporating as a minimum a concealed door closer, letter plate, inner flap and security cowl, 180 degrees spyhole, numerals to suit address, door security chain, weather board and pair of 150mm brass bolts, door to be secured by mul-T-lock system type ML240. Door and frame to be fully decorated to any standard BS RAL colour (Resident/Client choice). Certified to PAS 23 and 24 standard.	24	Nr	683.60	16,406.4
Extra over door and frame for storey height frame incorporating fixed glass fanlight, max glass height 400mm, frame internally glazed with 11.5mm anti-bandit security glass, beading cupped and screwed, all fully decorated.	24	Nr	84.00	2,016.0

E	Extra over security standard enhanced door for uprating to FD30S standard certified to BS476 Pt 22 or BS/EN1634-1, inclusive upgrading/replacement of any ironmongery and glazing (use of laminated and fire rated security glazing), provision of intumescent strips, door closer (perko powermatic 85R6) and glazing systems section size increases and the like.	24	Nr	104.00	2,496.00
F	COMMUNAL DOORS Renewal of FD60 electrical intake door and frame complete	3	Nr	1,404.50	4,213.50
G	STAIRCASE VENTILATION Installation of louvred door and frame complete to head of staircase	3	Nr	1,861.28	5,583.84
H I J K	MISCELLANEOUS FRA ITEMS Renewal of meter cupboard covers (Prov Allowance) Provisional Allowance for firestopping generally Scrape back loose and flakey paint - Prov Allowance Signage - Prov Allowance FRA WORKS INCLUDING FED's	24 3	Nr Nr Item Item	150.00 1,000.00	3,600.00 3,000.00 300.00 150.00
		Са	rried to	Summary £	38,059.34
	LANDLORDS ELECTRICS				
	Omitted as per Clients instruction				
	LANDLORDS ELECTRICS			Summary £	
				Summary £	0.00
	REDECORATIONS			Summary £	0.00
	REDECORATIONS  Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):		Theu to v	Summary 2	0.00
A	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces		Item	Summary 2	523.60
АВ	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):			Summary 2	
	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths		Item	Summary 2	523.60
В	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band		Item Item	Summary 2	523.60 217.80
ВС	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads		Item Item	Summary 2	523.60 217.80 1,683.00
B C D	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills		Item Item Item	Summary 2	523.60 217.80 1,683.00 325.60
B C D	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster		Item Item Item Item Item	Summary 2	523.60 217.80 1,683.00 325.60 125.40
B C D E	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster  Metalwork		Item Item Item Item Item Item	Summary 2	523.60 217.80 1,683.00 325.60 125.40 161.70
B C D E F	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster  Metalwork  Roof render		Item Item Item Item Item Item Item	Summary 2	523.60 217.80 1,683.00 325.60 125.40 161.70 1,364.00
B C D E F G	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster  Metalwork  Roof render  Lightwell cills		Item Item Item Item Item Item Item Item	Summary 2	523.60 217.80 1,683.00 325.60 125.40 161.70 1,364.00 198.00
B C D E F G H	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster  Metalwork  Roof render  Lightwell cills  Lightwell walls	12	Item Item Item Item Item Item Item Item	7.50	523.60 217.80 1,683.00 325.60 125.40 161.70 1,364.00 198.00 356.40
B C D E F G H	Preparation of existing surfaces and application of 2 coats Masonry paint to previously painted surfaces (Excluding stairwells):  Plinths  Diamond band  Ornate heads  Cills  Pilaster  Metalwork  Roof render  Lightwell cills  Lightwell walls  Red render		Item Item Item Item Item Item Item Item		523.60 217.80 1,683.00 325.60 125.40 161.70 1,364.00 198.00 356.40 118.80

	RISK PROVISIONAL SUMS				
Α	Asbestos Removal (Roof Area)	Ite	n	N/A	
В	Repairs to accessible RWG's	Ite	n	250.00	
С	Renewal of 2nd floor terrace doors	Ite	n	1,500.00	
С	Additional brickwork repairs	Ite	m	1,000.00	
D	Additional Scaffold security including call out and emergency response charges in connection with scaffold alarms	Ite	m	1,250.00	
E	Temporary Lighting to rear scaffold	Ite	n	1,000.00	
F	Additional works identified during works phase	Ite	n	3,000.00	
	RISK PROVISIONAL SUMS	Carried	to Summary £	8,000.00	
	1-24 Penton Place				
	<u>SUMMARY</u>	Pag	je		
	GENERALLY	1		0.00	
	SCAFFOLDING AND HOIST	2		43,100.05	
	ROOF STRUCTURE AND COVERINGS	3		5,921.87	
	WORKS TO STRUCTURE AND FABRIC OF THE BUILDING	4		9,083.94	
	WINDOWS AND DOORS	5		140,651.39	
	FRA WORKS INCLUDING FED's	6		38,059.34	
	LANDLORDS ELECTRICS	7		0.00	
	REDECORATIONS	8		5,788.30	
	RISK PROVISIONAL SUMS	9		8,000.00	
1-24 Penton Place  Carried to Section Summary £					